INDEX.

Page.

Abbott, Dr. W. L., birds collected by, on Pulo Taya, Berhala Strait, Southeastern Sumatra 267
birds from Simalur Island, Western Sumatra, collected by 473
Acanthocerus clavipes 275
Acanthochiton angelica 515
avicula 515
diegensis 515
exquisita 515
hirundiniformis 515
Actitis hypoleuca 130, 132
Aenoplex nigrocoma 536
polychroaldis 534
Aethopyga siparaja niasensis 497
siparaja 497
tinoptila 497
Agapostemon festivus 206
radiatus portoricensis 209
texanus 212
(Agoniosurus) Centrodora locustarum 405
Alcedo chloris 355, 356, 362
chlorocephala 355, 362
collaris 361
coromanda 353
javana 485
senegalensis 352
Alydus pallescens 275
Alysiminthis ellypticus 73
litterstus 61
Amaurornis phoenicura cleptes 474, 476
javanica 476
Anas bellator 276
Angocoris pallidus 275
Anona macgravii 268
winslowiana 264, 268
Anorthura fumigata usuriensis 226
meligera 227
Anous stolidus pileatus 131, 136
Anthophora acervorum var., squalens 183
aeruginosa 206
pulcherrima 206
scymna 206
texana 183
vigilans 183
zonata 206
Anthracoceros convexus 130, 138
Apanteles (Apanteles) polychroaldis 121
sibinidis 121
empretiae 121
fumiferanae 121
(Protapanteles) empretiae 121
stagmatophorae 120
Aphelininae, notes on some genera and species of chalcid flies belonging to the 403

Page.

Ardea sacra 131, 268
sumatrana 474
Artamides sumatrensis 492
simalurensis 491
Astacobdella philadelphica 260
Asternaulax fiskei 532
Astur soloensis 474
Atherina boyeri 311
hepsetus 311
laticeps 310
martinica 310
Augochlora flammea 207
vesta terpsichore 207
Bambusium stuheli 284, 286
Banasa varians 275
Banisteria caudiflora 290
incarta 284, 289
populifolia 290
Bartsch, Paul. New land shells from the Philippine Islands 301
Bassus immaculatus 113
usitatus 119
(Bathythrix) Panargyrops tibialis 528
tibialis 528
Bees in the National Museum collection 167
Beetles, Ptinid, five new species of 295
Belone artalus 396
Berry, Edward W. Miocene fossil plants from Northern Peru 279
Biosteres rhagoletis 123
Birds collected by Dr. W. L. Abbott on Pulo Taya, Berhala Strait, Southeastern Sumatra 267
Birds from Simalur Island, Western Sumatra, collected by Dr. W. L. Abbott 473
Birds of the Tambelan Islands, South China Sea 129
Brachycentrus fasciatus 540
Brachyceratops montanensis 103, 104
Branchiobdella instabilis 253
philadelphica 260
pulcherrima 246
Buceros convexus 138
Butorides virescens 268, 351, 399, 473
Callistochiton acinatus 510
æpynotus 511
celetus 510, 514
chthonius 511
cyanosus 511
duncanus 512
fisheri 513
Calocenas nicobarica 130, 136, 267, 269
Camburincola chirocephala 256, 263
inversa 259
macrodonta 257
philadelphica 256, 260, 263
vitrea 257
Campoplex niger 114

Page.

Casanowicz, I. M. Descriptive catalogue of the collection of Ecclesiastical art in the United States National Museum 605
Caupolicana fulvicollis 179
gayi 179
Centris atra 192
bimaculata 188
carrikeri 188
breviceps 190
cælebs 192
calloxantha 187
chilensis 190
chlorura 188
citrotæniata 192
cockerelli 187
decolorata 187
elegans 186
grenadensis 186
femoralis 187
festiva 188
fusciventris 190
var. caurensis 189
matoensis 189
hæmorrhoidalis 186
hoffmannseggiae 187
lanipes var. tarsata 190
lilacina 191
lineolata 189
lutea 187
maculata 188
merriliae 191
mexicana 187
muralis 187
nigerrima 190
nigriventris 187
nigrofasciata 192
nitida geminata 187
obscuriventris 187
pachysoma 189
personata 191, 192
plumipes 191
poecila 190
proxima 190
rubella 191, 192
schwarzi 192
semicærulea 188
tarsata 191
tricolor 190
vulpecula 190
xylocopoides 192
Centrodora amœna 403
locustarum 405
speciosissimus 406
Ceratina acuticauda 175
amabilis 176
bryanti 175
buscki 176
cladura 173
congoensis 173
morrensis 175
obtusicauda 174
punctulata 175
viridula 176
volitans 175
Ceryle abyssinica 385
Chaetoplaura lactica 509

Page.

Chalcid flies, notes on some genera and species of, belonging to the Aphelininæ 409
Chalcid flies of the genus Harmolita 433
Chalcophas indica indica 136
Challistochiton acinatus 510
Charadrius fulvus 132
Chelonus (Chelonella) proteus 116
Chelostomoides pratti 211
Chilicola plebeja 186
Chiton acellus 500
marmoratus 503
Chitons from the Pacific Coast of America, descriptions of new species of 499
Chloreas gmelinlana 301, 305
Chondracanthe lisse 575
Chrysopoctonus patruelis 520
Cinnyris brasiliana brasiliana 496
mecynorhyncha 496
osmopa 496
ornata microleuca 273
ornata 273
pectoralis 273
Cisticola cisticola curaitana 490
Cixius, species 277
Cochlostyla carinata 303
lunsi 303
domingoi 304
lignaria 302
aguinaldoi 301
luzonica 304
makabengana 303
macrostoma viscayana 302
schadenbergi ilongata 304
schadenbergi 305
Cockerell, T. D. A. Bees in the collection of the United States National Museum 167
Coelioxys fulviceps 181
hakonensis 181
(Liothyrapis) ducalis 181
litoralis 181
penetatrix 181
sauteri 208
Coenurus cerebralis 49
cuniculi 51
lowzowi 51
serialis 45, 49, 51
Colletes bicolor 208
Columba argentina 270
bicolor 136, 271
grisea 270
nicobarica 136, 269
phasma 270
tigrina 136
Condamines corymbosa 294
grandifolia 294, 295
Conurus fasciatus calus 481
fasciatus 481
perionicus 481
Copepoda from Honduras, new, ... 545
Copepod, a new species of parasitic 313
Copepods belonging to the new family Sphyriidæ 540
Copsychus saularis musicus 489
saeneeus 489
Coracias orientalis 484
Corvus compilator 490

Page.

Corvus enca compilator ... 490
Crocisa cæruleifrons ... 184
calcarata ... 185
decora ... 183
japonica ... 183
irisana humilis ... 183
lilacina ... 184
nitidula ... 183
pulchella ... 183
sordida ... 184
Cryptocystis trichodactis ... 73
Cryptohelcostizus rufigaster ... 534
Cryptoideus agrili ... 536
bicolor ... 536, 537
fasciatus ... 540
luctuosus ... 537
nubilipennis ... 537
purpuripennis ... 539
rufus ... 538
sitkensis ... 539
Cryptus nubilipennis ... 537
purpuripennis ... 539
Cuba, a rare species of half-beak from ... 307
Cubana tortrix ... 277
Cuncuma leucogastris ... 131, 132
Cupressus macrocarpa ... 297
Cushman, R. A. Descriptions of new North American Ichneumon-flies ... 517
Cyclops albidus ... 545
ceibaensis ... 545, 546
leuckarti ... 545, 546
panamensis ... 546, 547
prasinus ... 545, 546
serrulatus ... 545, 546
varicans ... 546, 547
Cynipoidea, type-species of, additions and corrections to ... 237
Cypselus infumatus ... 140
Cysticercus acanthotetra ... 70
cellulosæ ... 32
fasciolaris ... 9, 16
macrocystis ... 16
ovipariens ... 32
oviparus ... 32
ovis ... 32, 35
pisiformis ... 23
tarandi ... 37
tenuicollis ... 28, 32
Dacnusa iridicola ... 115
laeviceps ... 115
Dall, William Healey. Descriptions of new species of Chitons from the Pacific Coast of America ... 499
Darnoides nigroapicata ... 276
Demigretta sacra sacra ... 130, 131, 208
Dendronanthus indicus ... 496
Dendrophassa vernans adina ... 130, 138
mesochloa ... 480
miza ... 480
vernans ... 480
Diaptomus colombiensis ... 545
marshi ... 545
Dicæum trigonostigmum antioproctum ... 496
trigonostigmum ... 496
Dicrurus cinereosus ... 495
celaneus ... 494
cinereaceus ... 495

Page.

Diplodocus longus ... 107
Dipylidium caninum ... 62, 73
chyzeri ... 68
echinorhynchoides ... 72
oerleyi ... 68
pasqualei ... 71
sexcoronatum ... 65
trinchesei ... 69, 70
Dissemurus paradiseus olivurus ... 495
paradiseus ... 495
Drawida bournei ... 148
Dyer, F. J., report on a collection of Copepoda made by, in Honduras ... 545
Dypylidium caninum ... 73
Earthworms, new African, descriptions of, including a new genus of Moniligastridæ ... 145
Ecclesiastical art, collection of, in the U. S. National Museum ... 605
Echinococcifer echinococcus ... 56
Echinococcus granulosus ... 56
Echthrus canadensis ... 233
luctuosus ... 537
nubilipennis ... 537
Edessa cornuta ... 275
meditabunda ... 275
Ellis, Max M. Branchiobdellid worms in the collections of the U. S. National Museum, with descriptions of new genera and species ... 241
Emery, W. T., and W. J. Phillips. A revision of the chalcidiflies of the genus Harmolita of America, north of Mexico ... 433
Epeolus vicinus ... 179
Epicharis affinis, var. quadrinotata ... 192
angustifrons ... 193
dejeani ... 193
lateralis ... 194
maculata ... 194
schrottkyi ... 193
semimurinus ... 193, 194
Ernobius californicus ... 297
champlaini ... 298
conicola ... 296
fissuratus ... 298
montanus ... 296
punctulatus ... 297
trapezoideus ... 299
Eucosma scudderiana ... 520
Eulsema nigrita ... 311
(Euryptychia saligneana) ... 530
Eurystomus orientalis orientalis ... 484
Eurytoma fulvipes ... 452
hordei ... 442
secale ... 436
tritici ... 451
Euschistus bifibulus ... 275
Eutelus bruchophagi ... 128
mayeticlae ... 126
Exstastes provancheri ... 114
suavcolens ... 114
Fagan, Margaret M., and S. A. Rohwer. Additions and corrections to "The type-species of the genera of the Cynipoidea or the gall wasps and parasitic Cynipoids" ... 237
Falco ichthyaetus ... 208
leucogaster ... 132
soloensis ... 474
Fasciola muris hepaticæ ... 9

Pages.

Ficus winslowiana 284, 287
Fisher, W. S. Five new species of Ptinid beetles 295
Fishes, on certain genera of Atherine 309
Fossil plants from northern Peru 279
Gahan, A. B. New reared parasitic hymenoptera, with some notes on synonymy 113
Notes on some genera and species of chalcid-flies belonging to the Aphelininae with description of a new species 403
Gall wasps and parasitic Cynipoids," additions and correction to "The type-species of the genera of the Cynipodea or the 237
Gibson, Edmund H. Hemiptera collected by the Yale Dominican Expedition of 1913.. 275
Gilmore, Charles W. A new restoration of triceratops, with notes on the osteology of the genus 97
Glypta mutica 540
Gracula javana prasiocara 131, 141
Graucalus simalurensis 401, 402
Green, Bessie R., and Frank Smith. Descriptions of new African earthworms, including a new genus of Moniligastridae 145
Gronoceras feline 181
Guatteria culebrensis 284, 288
ouregon 288
Habrobracon americana 123
gelechiae 123
johannseni 123
politiventris 517
Habrocytus similimus 127
Halcyon anchoreta 335
(Ceryle) abyssinica 335
chloris 352
aruensis 390
keiensis 355, 356
melvillensis 393
tenokai 357
enigma 360
forsteni 357, 358
humii 374
sanctus 352
sordida 391
sordidus colonus 388
cooktowni 391
suvensis 388
Half-beak, a rare species of, from Cuba 397
Halictus semiviridis 212
Hall, Maurice C. The adult taenioid cestodes of dogs and cats, and of related carnivores in North America 1
Halystis ellyptica 73
lineata 59
litterata 61
Harmolita, chalcid-flies of the genus 433
agropyrocola 458
agropyrophila 450
agrostidis 441
albomaculata 443
atlantica 461, 462
bromicola 443
captiva 444
dactylicola 446

Pages.

Harmolita, elymi 447
elymicola 460
elymivora 464
elymophila 462
elymophthora 465
elymoxena 450
festucae 454
gillettei 467
grandis 448
form grandis 440
minuta 440
hesperus 457
hordei 452
maculata 449
occidentalis 466
ovata 458
pone 445
poophila 463
rufipes 453, 454
secalis 456
tritici 451
vaginicola 455, 426
webster 442
Helcostizus bicarinatus 532
brachycentrus 533
canadensis 533
fasciatus 540
flaki 532
rufiscutus 533
yukonensis 533
Hemiprocne longipennis 486
perlonga 486
Hemiptera collected by the Yale Dominican Expedition of 1913 275
Hemiramphus balao 397, 398
brasiliensis 397
browni 397
filamentosus 398
macrochirus 398
marginatus 398
pleei 397
(Hemiteles) Aenoplex compactus 525
Chrysopoctonus rileyi 530
compactus 525
euryptychiae 530
hemerobii 530
Hepatophylus bouvieri 551
Heriades elfroma 214
phaola 214
saphira 214
Heteroschema prima 126
Hoffmannia protages 282
Honduras, new Copepods from 545
Hough, Walter. Exploration of a pit-house village at Luna, New Mexico 409
Hydatigena cerebralis 40
cordata 22
orbicularis 28
piriformis 22
taeniaeformis 9
utriculenta 22
Hydra hydatula 28
Hylaeosoma ashmeadi 185, 186
longicaps 185
Hymenoptera, new reared parasitic, with notes on synonymy 113
Hypotaenidia striata 477

Page.

Hypotaenidia striata albiventris 477, 478
gularis 476, 478
jouyi 478
obscurior 478
reliqua 476–478
striata 477
Hypothymis azurea consobrina 487
opisthocyanea 131, 140
consobrina 487
Hypurolepis javanica abbotti 131, 140
Ichneumon-flies, new North American 517
Ichneumon hordei 452
Iriartites tumbesensis 284, 285
Isadelphus extensor 527
Ischnochiton acelidotus 506
aucosmius 509
berryi 507
brunneus 504
bryanti 503
cooperi acutior 508
exanthematus 505
limaciformis 508
listrum 504
mariposa 506
marmoratus 503
ophioderma 506
(Radsiella) aethalotus 508
ritteri 505
(Stenoplax) aethonus 507
venezius 500
Isosoma agrostidis 441
albomaculatum 443
bromicola 445
captivum 444
elymi 447
fitchi 442
hirtifrons 443
hordei 452
maculatum 449
nigrum 451
secale 456
tritici 451
vaginicolum 455
Itoplectis behrensi 524
Jordan, David Starr. On a rare species of half-beak, Hemiramphus balao, from Cuba 397
On certain genera of Atherine fishes 309
Kansas City, Missouri, a heretofore undescribed meteoric stone from 95
Kingfisher, white-collared, Saurpatis chloris, a revision of the subspecies of 351
Kittacincla melanura hypoliza 489, 490
melanura 489
Lamprocorax chalybeus rhadinorhamphus 404
panayensis affinis 272
altirostris 404
heterochlorus 131, 142, 272
rhadinorhamphus 404
richmondi 272
strigatus 272–404
Lepidopleurus (Leptochiton) agesilaus 501
ambustus 499
lycurgus 500
nicomedes 501
oldroydi 500

Page.

Leptopoma maubanense 306
makabenganа 306
Lernaea anomala 316
Lernaeonema musteli 552
Lernaeopoda cluthae 316
Lesteira kroyeri 575
lumpi 570
Lestes lumpi 570
Liodontomerus perplexus 124
Lophoura edwardsii 562, 586
Lora variegata 275
(Loxia) Maja 498
Lumbricus hydropicus 28
Luna, New Mexico, a pit house village, exploration of 409
Lymeon annulicornis 521
Macropteryx perlonga 486
Macropygia emiliana classa 478
emiliana 478
hypopercna 473, 478
modigliani 478
ruficeps 479
ruficeps 479
simalurensis 478
simalurensis 478
Marsh, C. Dwight. Report on a collection of Copepoda made in Honduras by F. J. Dyer. 545
Mayetiola destructor 405
Means, Philip Ainsworth. Distribution and use of slings in Pre-Columbian America, with descriptive catalogue of ancient Peruvian slings in the United States National Museum 317
Megachile albitarsis 215
amputata 213
anonyma 214
appia 214
arcuata 213
argentata 213, 214
asiatica 214
atrata 208
bentoni 213
bombayensis 214
breviuscula 218
burmeisteri 221
centuncularis 214
crenusa 214
curvipes 221
desertorum 214
dimidiata 213
abbottiana 213
erythropoda 213
velutina 213
disjunctiformis 208
doederleinii 182
elfroma 214
erythropoda 212
erythrostoma 214
eulaliae 218
fiabellata 220
flavipes 214
fulvipennis 208
fulvofasciata 213
gathela 214
gracilis 220
hera 214
hoffmannseggiae 221
howardi 216, 217

Page.

Megachile huascari..... 219
idalia..... 207
knabi..... 215
laqueata..... 220
latimanus..... 215
lenticula..... 218
lerma..... 214
longula..... 214
mendozana..... 218
multispinosa..... 214
mystacea..... 208
nadia..... 214
nana..... 214
nigrolateralis..... 217
nigromixta..... 215
occidentalis..... 215
patellimana..... 214
perenensis..... 219
peruviana..... 220
phaola..... 214
philinca..... 220
poculifera..... 217
porrectula (acuta)..... 218
rhodopus..... 212
rotundata..... 214
rufipes..... 208
rugicauda..... 214
saphira..... 214
seraxensis..... 214
terminata..... 214
texana..... 218
thoracica..... 212
tuxtla..... 214
ulrica..... 214
umbripennis..... 214
velutina..... 212
abbottiana..... 212
viridicollis..... 214
Megalopta aegis..... 208
aethautis..... 208
fornix..... 207
panamensis..... 207
idalia..... 207
sodalis..... 207
tabascana..... 207
Megapodius cumingii..... 399
nicobariensis..... 399
abbotti..... 401
nicobariensis..... 400, 401
teniberensis..... 399
trinkutensis..... 400
Melipona abunensis..... 201
anthidioides..... 195, 196
integrior..... 196
baeri..... 196
pallescens..... 196
bicolor..... 196
bonitensis..... 200
concinnula..... 203
eburnea..... 197, 199
fasciata..... 167, 198, 201
barticensis..... 200
costaricensis..... 198, 201, 206
indecisa..... 206
melanopleura..... 201
panamica..... 198

Page.

Melipona fasciata trinitatis..... 201
fasciculata..... 201
favosa..... 195, 199
flavipennis (titania)..... 205
flavolineata..... 202, 204
fulva..... 200
fulvipes..... 200, 201
fuscata..... 205
fuscipes..... 203
intermixta..... 197
interrupta..... 199, 201
obliteseens..... 201, 205
ligata..... 201
mandacaia..... 197
marginata..... 195, 199
atratula..... 205
carrikeri..... 198
ghiliani..... 198
mimetica..... 203
nigra..... 203
orbignyi..... 195
jenningsi..... 199
peruviana..... 205
pseudocentris..... 203
merrillae..... 202
phenax..... 195
quadrifasciata..... 196, 197
callura..... 196
quinquefasciata..... 196, 200
var. bicolor..... 196
orbignyi..... 195
var. pallescens..... 196
rufiventris..... 202
santhilarii..... 200
schausi..... 195
convolvuli..... 199
scutellaris..... 200, 203
iliota..... 203
seminigra..... 201
solani..... 198
variegatipes..... 204
lautipes..... 204
vulpina..... 204
Melitidia gilberti..... 310
lisa..... 309
Merrill, George P. A heretofore undescribed meteoric stone from Kansas City, Missouri.. 95
Merops javanicus..... 483
philippinus..... 483
superciliosus javanicus..... 483
philippinus..... 483
Mesiloidaphne brasiliensis..... 293
cousbatta..... 292
glauca..... 292
pseudoglauca..... 292
tumbezensis..... 284, 291
Mesocestoides ambiguus..... 59
lineatus..... 61
litteratus..... 59, 61
utriculifera..... 61
Mesochorus canadensis..... 533
luctuosus..... 537
Mesoleius balteatus..... 541
(Mesostenus) Crypturopais diligens..... 521
Mesotrichia albiceps..... 169
calens malagasea..... 169

Page.

Meteoric stone, heretofore undescribed, from Kansas City, Missouri 95
(Microdus) Bassus discolor 118
(Microdus) Bassus similimus 119
Microgaster mellipes 123
Microtarsus atriceps hyperemnus 488
melanocephalus hyperemnus 488
Micrutalis calva 278
Moniligastridae, descriptions of new African earthworms, including a new genus of 145
Mopalia celetoides 514
chloris 513
gontura 513
hindsii 513
lignosa 513
(Semimopalia) grisea 514
Motacilla boarula melanope 131, 143
indica 496
melanope 143
Multiceps gaigeri 55
multiceps 40, 44, 50, 51, 55
serialis 49, 50, 51
Multiplex multiplex 41
serialis 51
Munia maja 498
Muscadivores aeneus 479
consobrina 479
mistus 479
politus 130, 137
Muscitrea grisola grisola 486
nesiotis 486
Myersia pallida 502
Myristicivora bicolor 130, 131, 136
grisea 270
Nannus Billberg, wrens of the genus 223
alascensis 225
fumigatus 234
hiemalis 223, 224, 225
helleri 225
pacificus 225
semidensis 234
meligerus 225
nipalensis 234
tianschanicus 225
troglodytes 224, 225
alascensis 226, 229, 231, 232, 233, 234
amurensis 226
borealis 225
cypriotes 226
dauricus 226
fumigatus 226
helleri 234, 235
hiemalis 224, 227, 236
hirtensis 226
hyrcanus 226
idius 226
islandicus 226
kabylorum 226
kiskensis 226, 228, 229, 230
kurilensis 226
magrathi 226
meligerus 226, 227, 228
neglectus 226
nipalensis 226
ogawae 226

Page.

Nannus troglodytes pacificus 224, 226, 227, 235, 236
pallescens 226, 227
peninsulae 226
petrophilus 226, 232, 234
semidensis 226, 234
sylvestris 225, 226
zetschuanus 226
taivanus 226
talifuensis 226
tanagensis 226, 230, 233, 234
tarbagataica 226
tianschanicus 226
tibetanus 226
troglodytes 226
zagrossiensis 226
zetlandicus 226
Nesara viridula 275
Nicobar megapode, the races of 309
Nomada astecorum 180
pratensis 180
crucis 212
heiligbrodti 180
scita 180
vierecki 180
Nomia curvipes 208
diversipes 208
Nuttallina allantophora 502
magdalena 502
Oberholser, Harry C. A revision of the subspecies of the white-collared kingfisher, Sauropatis chloris (Boddaert) 351
Birds of the Tambelan Islands, South China Sea 129
Notes on Birds collected by Dr. W. L. Abbott on Pulo Taya, Berhala Strait, Southeastern Sumatra 267
Notes on Dr. W. L. Abbott's second collection of birds from Simalur Island, Western Sumatra 473
Notes on the wrens of the genus Nannus Billberg 223
The races of the Nicobar megapode, Megapodius nicobariensis Blyth 309
Oedicnemus magnirostris 134
Oediscelis albida 185
fiebrigi 186
inermis 185, 186
minor 185
paradoxa 186
rostrata 186
styliventris 185, 186
vernalis 185
Olbiorchilus fumigatus amurensis 225
peninsulae 226

Pages.

Oligomerus arbuti ... 206
Oncopeltus fasciatus ... 276
Ophiotaenia punica ... 4
Optimia exilis ... 568
Opius melleus ... 123
Orgilus dicocytriae ... 121
mellipes ... 123
Oriolus maculatus mundus ... 491
richmondi ... 491
mundus ... 491
Orthorhamphus magnirostris magnirostris ... 133
neglectus ... 134
scommophorus 130, 133, 134
Osiris panamensis ... 177
Osmia anonyma ... 214
aztaca ... 182
cornuta ... 183
(Pachyosmia) pedicornis ... 182
rufa ... 182
Otacustes atriceps ... 518
(Otacustes) Chrysopoctonus chrysopae ... 520
cressoniformis ... 520
Oxaea tachytoformis ... 177
tristis ... 178
Oxophora consanguinea ... 276
pallescens ... 276
Paeon ferox ... 557, 559, 591, 592
versicolor ... 555, 559, 606
Panargyrops thoracicus ... 528
Panurginus herbsti ... 186
Paraphelinus speciosissimus ... 403
Pelargopsis simalurensis ... 485
Pelodrilus violaceus ... 154
Pericrocotus andamanensis flammifer ... 493
minythomelas ... 493
modiglianii ... 493
igneus igneus ... 492
trophis ... 492
Periplexis lobodes ... 599
Persea macrophylloides ... 284, 292
Peru, Miocene fossil plants from northern ... 270
Phaeogenes (Centeterus) ineptifrons ... 113
Philippine Islands, new land shells from the ... 301
Phillips, W. J., and W. T. Emery. A revision of the Chalcidflies of the genus Harmolita of America north of Mexico ... 433
Phryganidene californica ... 524
(Phygadeuon) Aenoplex phryganidene ... 534
Pimpla yukonensis ... 533
Pit house village in New Mexico ... 409
Pitinus huesanus ... 295
pygmaeus ... 295
Pluvialis dominica fulva ... 120, 132
Polioaetus ichthyaetus ... 268
Polycephalus coenurus ... 41
ovinus ... 40
Polytoreutus baralypton ... 160
chaloneri ... 156, 160, 165
finni ... 160, 161
hindei ... 160, 161
kilundinensis ... 160, 161
multiporus ... 161, 165
Prinia cursitans ... 490
Proarna hilaris ... 276

Pages.

Prosopis itamuca ... 206
(Nesoprosopis) pubescens ... 206
Protocryptinus nawaii ... 543
Protoxaea impunctata ... 178
texana ... 178
Proxys victor ... 275
Pseuderimerus mayetiolae ... 135
Pseudococcus citri ... 521
Psittinus abbotti ... 483
Pterodrilus distichus ... 254
durbini ... 254
mexicanus ... 254
Ptilogiossa crawfordi ... 178, 179
mexicana ... 178, 179
oliantayi ... 179
Ptychophysa lineata ... 59
litterata ... 61
Pulo Taya, Berhala Strait, Southeastern Sumatra, birds, collected by Dr. W. L. Abbott on ... 387

Ramphalcyon capensis gigantea ... 485, 486
innominata ... 486
javana ... 485, 486
simalurensis ... 485
Rebalula bouvieri ... 550, 579
cornuta ... 556, 581, 592
edwardsii ... 581, 596
gracilis ... 550, 585
Rhathymus bicolor, var. nigripes ... 177
unicolor ... 177
Rohwer, S. A., and Margaret M. Fagan. Additions and corrections to "The type species of the genera of the Cynipoidea or the gall wasps and parasitic Cynipoids" ... 237
Sauropatis chloris, a revision of ... 351
Sauropatis chloris ... 268, 351, 352, 353, 376
abyssinica ... 354, 385
amphiryta ... 381, 382, 383
anachoreta ... 385
armstrongi ... 372, 373, 374, 375, 376, 384
azela ... 377, 378, 380
chloris ... 355, 356, 357, 361, 366, 370, 371, 385, 388, 390, 392
chloroptera ... 378, 379, 380, 381, 382, 385, 485
colcloughi ... 391
collaris ... 351, 356, 358, 376, 362, 365, 372, 378
colonus ... 388, 389
cyanescens ... 130, 131, 139, 271, 354, 356, 365, 369, 372, 374, 378, 379, 380, 382, 383, 384, 385
davisoni ... 375, 376, 377, 380, 383
enigma ... 360
forsteni ... 357, 358, 359, 360, 366, 367, 370, 372
grayi ... 390, 391, 392
melvillensis ... 393
meyeri ... 359
palmeri ... 369, 371
solomonis ... 356, 388, 392
sordida ... 390, 391, 392
suvensis ... 388

Page.

Bauropatis chloris teraokai ... 357
vidali ... 384
enigma ... 360
humili ... 373
occipitalis ... 352
owatoni ... 353
sacra ... 353
sancta ... 353
Shells, new land, from the Philippine Islands ... 301
Simalur Island, Western Sumatra, birds from ... 473
Slings, use of, in Pre-Columbian America ... 317
Smith, Frank and Bessie R. Green. Descriptions of new African earthworms, including a new genus of Moniligastridae ... 145
Spartocera batatas ... 275
Speciligus curticaudis ... 315
Sphyrlidae, North American copepods belonging to the new family ... 549
Sphyrion australicus ... 551, 569, 575
delagei ... 569, 575
kingi ... 570, 575
kroyeri ... 570
laevigatus ... 551, 573
laevis ... 575
lissa ... 575
lumpi ... 550, 570
stewarti ... 570, 575
Spilocryptus exannulatus ... 529
Spilopelia tigrina ... 130, 136
Spilornis abbotti ... 474
bassus ... 474
Stephanodrilus japonicus ... 256
koreanus ... 256
Stenospermation columbiense ... 284, 286
Sterna anaetheta anaetheta ... 135, 209
anaethetus ... 135, 136
melanauchen ... 208
melanauchen ... 208
plicata ... 136
Stenospermation matthewsii ... 286
pompayense ... 286
Styrax lanceolata ... 284, 293
Sylvia domestica ... 225
Syngenodrilus lamuensis ... 146
Tachitres procera ... 487
Tachornis infumata ... 131, 140
Taenia africanus ... 39
(Arhynchotaenia) echinococcus ... 56
baileyi ... 16
balaniceps ... 16, 19, 20
brachysoma ... 21
braunl ... 19
canina ... 73
canis lagopodis ... 69
cenuiformis ... 73
canina ... 73
felis ... 73
coenurus ... 41
collo brevissimo ... 9
crassiformis ... 9
cucumerina ... 73
cuneiceps ... 73
(Dipylidium) cucumerina ... 73
echinococca ... 56
(Echinococcifer) echinococcus ... 56
Page.
Taenia elliptica ... 73
hydatigena ... 1, 9, 22, 28, 36
knabbei ... 36
laticollis ... 1, 7, 8, 9, 37, 38
lineata ... 50
litterata ... 61
macrocystis ... 1, 13
marginata ... 28
moniliformis ... 79
monostephanos ... 35
multiceps ... 40
multiplex ... 41
novella ... 1, 8, 26, 27
ovis ... 20, 32
pisiformis ... 1, 8, 22, 27, 28, 50, 55
pseudo-cucumerina ... 50
pseudoelliptica ... 50
punica ... 4
rhynchus saginatus ... 39
serialis ... 40
serrata ... 9, 23
taeniaeformis ... 1, 7, 8, 9, 13
utriculifera ... 61
vesicularis cerebrina ... 40
Taenioides, adult cestodes occurring in dogs and cats and related carnivores in North America ... 1
Tambelan Islands, South China Sea, birds of the ... 120
Tangia angulata ... 277
Tapiria guianensis ... 291
lanceolata ... 284, 291
Terpsiphone affinis ... 488
ni barica ... 488
pa ara ... 487, 488
Tetralonia floralis ... 209
Tetrapedia calcarata ... 211
Tettigonia occatoria ... 277
prolixa ... 277
psittacella ... 277
Thionia variegata ... 277
Thriponax javensis parvus ... 482, 483
saluensis ... 483
parvus ... 482
Tomaspis dominicana ... 276
Tonicia mixta ... 515
pustulifera ... 516
Totanus totanus eurhinus ... 130, 132
Trachyusa americana ... 123
Treron curvirostra ... 480
haliplos ... 473, 480
Triceratops, a new restoration of, with notes on the osteology of the genus ... 97
brevicornus ... 100
calicornis ... 98, 100, 101
elatus ... 97, 100
flabellatus ... 106
obtusus ... 98, 100
serratus ... 107
Triopeolus foxii ... 179
vicinus ... 179
(wilsoni var.) buscki ... 179
Trigona beccarii ... 209
jombenensis ... 209
nigritaciea ... 209
biroi ... 211

Page.

Trigona bottegoi... 210
braunsi... 210
carbonaria... 211
clypeata... 211
curriei... 210
gribodoi... 210
lendliana... 210
magrettii... 210
nebulata... 211
staudingeri... 209
togoensis... 211
junodi... 210
varians... 284
zebra... 211
Tringa hypoleuca... 132
Trioxys cupressicola... 116
Troglodytes aedon... 225
alascensis... 229
domesticus... 225
hiemalis... 236
musculus hornensis... 225
pallida... 225
pallidus... 225
parvulus, var. americanus... 236
sylvestris... 225
Trypaphylum mustell... 588
Tumidiscapus orthopterae... 406
Tylosurus argalus... 398
Typhon sumatranus... 474
Vermis vesicularis eremita... 28
muris... 9
pisiformis... 22
socialis... 40
teniaeformis... 9
Vesicaria pisiformis... 22
Vochysia retusifolia... 284, 290
Wilson, Charles Branch. A new species of parasitic copepod, with notes on species already described... 313

Page.

Wilson, Charles Branch. North American parasitic copepods belonging to the new family Sphyriidae... 549
Worms, new Branchiobdellid, in the collections of the United States National Museum... 241
Wrens of the genus Nannus Billberg... 223
Xenoglossa dugesi... 194
fuliginosa... 194
gabbi... 194
Xiphidium fuscum... 405
Xironodrilus formosus... 244, 247
pulcherrimus... 246, 247
Xironogiton instabilius... 249, 252, 253
occidentalis... 248, 249
oregonensis... 248, 249, 251, 253
oregonensis... 250, 251
pectinatus... 250, 251
Xylophruidea agrili... 536
Xylocopa arizonensis... 168
bentoni... 172
brasilianorum... 168
ciliata... 168
collaris... 172
formosa... 168
loripes... 168
rufina... 169
illota... 169
sinensis... 173
sonorina... 173
splendidula... 168
tabaniformis... 169
varians ecuadorica... 169
virescens... 168
viridis... 169
Yale Dominican Expedition, of 1913, hemiptera collected by the... 275
Zamenis viridiflavus... 70
Zelus rubidus... 276

JUN 14 1920